

# TECHNICAL DATA SHEET

**CODE:** APV0123

**NAME:** APV0123 - SVERPAINT 103P

**GROUP:** PAINT STRIPPER

## CHARACTERISTICS

SVERPAINT 103 product used for the paint removal by immersion, at room temperature, of details in aluminum, iron, cast iron, brass, copper and zinc. Suitable for removing all the main synthetic paints and, in particular, for cleaning the inside of the paint guns. While containing acidic substances, SVERPAINT 103 is free of phenols, cresols and chromates and does not emit toxic vapors.

SVERPAINT 103 does not affect the galvanic layers even after medium-long immersion times.

## TECHNICAL SPECIFICATIONS

APV0123	Property	Specification	Units	Method
	Density (20°C)	1,19 - 1,29	gr/cc	IST 11/01
	pH	4,5 - 5,5	pH	IST 11/03

*The values describe the typical properties of the product. Technical Specifications are available upon request.*

## USE

Use SVERPAINT 103 as such, completely immersing the pieces to be stripped until the paint is detached.

It is recommended to create a surface water head (about 1 - 2 cm.) In order to limit the evaporation of the product allowing a longer duration.

Finally rinse with plenty of water. Do not immerse the pieces, already washed with water, before having completely dried them.

## STORAGE AND PACKAGING PRECAUTIONS

Keep it tightly sealed in its original container in a cool environment (between + 4°C and + 35°C) that is not subject to abrupt temperature excursions.

Standard pack size is 1 Kg. For other specific requirements a feasibility evaluation will be made.

## SAFETY PRECAUTIONS

The product is intended for professional use only, refer to the Safety Data Sheet.

MOD. 11 - 08 (Rev. 1 - 06/2016)

The data shown refers to laboratory tests, in practical applications these can change slightly according to the working conditions. The user must anyway check the suitability of the product for its expected use, taking upon himself all responsibility arising from its use. Sigmar reserves the right to introduce technical changes without prior notice.