

TECHNICAL DATA SHEET

CODE: LPT0005

NAME: LPT0005 - LUCIDO PUR TRASPARENTE

GROUP: TRANSPARENT PUR VARNISH

CHARACTERISTICS

Solvent-based clear glossy polyurethanic varnish, for spray applications, characterized by good verticality, excellent filling, fast drying time and surface hardness. Intended for use on vertical surfaces, for interiors.

TECHNICAL SPECIFICATIONS

LPT0005	Property	Specification	Units	Method
	Density (20°C)	0,96 - 1,00	gr/cc	IST 11/01
	Viscosity, Ford Cup 4 (20°C)	65 - 75	Sec.	IST 11/08
	Solid Content	48 - 54	%	IST 11/06
CVP0048	Property	Specification	Units	Method
	Density (20°C)	0,97 - 1,01	gr/cc	IST 11/01
	Viscosity, Ford Cup 4 (20°C)	08 - 12	Sec.	IST 11/08
	Solid Content	33 - 37	%	IST 11/06

The values describe the typical properties of the product. Technical Specifications are available upon request.

USE

To harden the LPT0005, use the hardener CVP0048 at 50% by weight; subsequently, thin it with DPV0006.

The thinning of the product is established at the time of application according to the application parameters present, recommended at 20% by weight.

When a better product spreading is required, it is recommended to add a small amount of retardant thinner DPV0026 to the mix.

APPLICATION

Pot-Life	Approx. 12 hours at 20°C
Dust free	15' at 25°C
Gloss Level	90 - 100 Gloss units
Stacking	After 24 hours

STORAGE AND PACKAGING PRECAUTIONS

Conservare nel recipiente originale ben chiuso in ambiente fresco, non soggetto a brusche escursioni termiche, tra i -5°C e i 40°C. Confezioni standard da 25 Kg. per altre specifiche richieste, sarà eseguita una valutazione di fattibilità.

SAFETY PRECAUTIONS

The product is intended for professional use only, refer to the Safety Data Sheet.

MOD. 11 - 08 (Rev. 1 - 06/2016)

The data shown refers to laboratory tests, in practical applications these can change slightly according to the working conditions. The user must anyway check the suitability of the product for its expected use, taking upon himself all responsibility arising from its use. Sigmar reserves the right to introduce technical changes without prior notice.